

STORING • HANDLING • LOGISTICS



Your Silent Workers
A Government Recognized
Export House



**PRODUCT
CATALOGUE**
2024 - 2025



42 Years of concrete experience
"The Name You Can Trust"

State of the art Plant At Daman

With a comprehensive study about the need of a customer, related for material handling, we have created a widest array of Industrial & Material Handling Products catering to the specification of customers with proper technical know how & quality control. We have conjured the best grade material & design to maintain the quality standard in the market. We are well aware of the competitive market & our strongest USP is our wide product range. Regarding quality, it is needless to say that it is weatherproof & UV resistant with a brutal characteristic to withstand crudest of handling. The areas where our product could be most effective are industries like **Beverages, Dairy, Fruit & Vegetable, Bakery, Fisheries, Automotives, Electronics, Caterers, Garments, Soft Drinks, Cold Storages, FMCG, Retailing, Textile** and other industries where storage, stacking and nesting is required. We have been consistently growing since 42 years in the plastic industry. Our products have a global presence with advance technology, we enthrall our clientele be meeting with their stupendous demand in time.

Latest Machines
Latest Moulds
Advance Technology

ISO
9001:2015
COMPANY



ABBR. USED FOR CRATES

CH : Close With Handle	WH : With Handle
CC : Complete Closed	RCR : Round Crate with Rope
SP : Side Perforated & Bottom Closed	RCH : Round Crate with Handle
TP : Totally Perforated	RCC : Round Crate Closed without Handle
TPC : Totally Perforated With Cut	LW : Low Weight
FB : Flat Bottom	HW : Heavy Weight
FT : Flat Top	MW : Medium Weight
BB : Button Bottom	MP : Multi Purpose
CFT : Complete Flat Top	

1 Inch : 25.4 mm. (All Dimensions & Capacity Are Approximate Only).

INDEX

CRATE SERIES 300 - 200	Page No. 3	CRATE BASKETS	Page No. 25
CRATE SERIES 400 - 300	Page No. 4	CONTAINERS KITTY	Page No. 26
CRATE SERIES 500 - 325	Page No. 7	SHOPPING BASKETS	Page No. 27
CRATE SERIES 600 - 400	Page No. 9	MULTIPURPOSE TRAY	Page No. 28
CRATE MINI JUMBO	Page No. 16	CRATE FPO STORAGE BINS	Page No. 29
CRATE HEAVY DUTY JUMBO	Page No. 17	IDEAL STORAGE & MATERIAL HANDLING EQUIPMENTS	Page No. 31
CRATE MAHA JUMBO	Page No. 18	CRATE FABRICATED	Page No. 32
CRATE SUPER JUMBO	Page No. 19	SWING BINS & WASTE BINS & STORAGE BUCKETS	Page No. 34
CRATE F & V PRODUCE	Page No. 20	PALLETS SERIES	Page No. 50
CRATE DAIRY	Page No. 23	ICE BOX	Page No. 64
CRATE GENERAL	Page No. 24		

CRATES





ITEM CODE : 32065 CC & FB
 DIMENSION : O.D. : 300 x 200 x 65 mm
 : I.D. : 265 x 165 x 60 mm
 CAPACITY : 2.00 ltrs



ITEM CODE : 32100 CC & FB
 DIMENSION : O.D. : 300 x 200 x 100 mm
 : I.D. : 265 x 165 x 95 mm
 CAPACITY : 4.00 ltrs



ITEM CODE : 32150 CC & FB
 DIMENSION : O.D. : 300 x 200 x 150 mm
 : I.D. : 265 x 165 x 145 mm
 CAPACITY : 6.00 ltrs



ITEM CODE : LID 3200
 DIMENSION : O.D. : 300 x 200 x 18 mm



ITEM CODE : 32200 CC & FB
 DIMENSION : O.D. : 300 x 200 x 200 mm
 : I.D. : 265 x 165 x 195 mm
 CAPACITY : 8.00 ltrs

FLAT BOTTOM AVAILABLE



- ITEM CODE : 43065 CC/FB & BB
- DIMENSION : O.D. : 400 x 300 x 065 mm
: I.D. : 360 x 260 x 060 mm
- CAPACITY : 4.50 ltrs



- ITEM CODE : 43080 CC/FB & BB
- DIMENSION : O.D. : 400 x 300 x 080 mm
: I.D. : 360 x 260 x 075 mm
- CAPACITY : 6.00 ltrs



BUTTON BOTTOM



- ITEM CODE : 43090 CC/FB & BB
- DIMENSION : O.D. : 400 x 300 x 090 mm
: I.D. : 360 x 260 x 085 mm
- CAPACITY : 7.00 ltrs



new



- ITEM CODE : 43100 CC/FB & BB
- DIMENSION : O.D. : 400 x 300 x 100 mm
: I.D. : 360 x 260 x 095 mm
- CAPACITY : 8.00 ltrs



BUTTON BOTTOM &
FLAT BOTTOM AVAILABLE IN ALL SIZE



ITEM CODE : 43120 CC/FB & BB
 DIMENSION : O.D. : 400 x 300 x 120 mm
 I.D. : 360 x 260 x 115 mm
 CAPACITY : 9.50 ltrs.



ITEM CODE : 43150 CC/FB & BB
 DIMENSION : O.D. : 400 x 300 x 150 mm
 I.D. : 360 x 260 x 145 mm
 CAPACITY : 13.00 ltrs



ITEM CODE : 43175 CC/FB & BB
 DIMENSION : O.D. : 400 x 300 x 175 mm
 I.D. : 360 x 260 x 170 mm
 CAPACITY : 15.00 ltrs
 HW / LW Available



ITEM CODE : 43175 SP & TP
 DIMENSION : O.D. : 400 x 300 x 175 mm
 I.D. : 360 x 260 x 170 mm
 CAPACITY : 15.00 ltrs



ITEM CODE : 43220 CC & FB
 DIMENSION : O.D. : 400 x 300 x 220 mm
 I.D. : 360 x 260 x 215 mm
 CAPACITY : 19.00 ltrs



ITEM CODE : 43240 CC & FB
 DIMENSION : O.D. : 400 x 300 x 240 mm
 I.D. : 360 x 260 x 235 mm
 CAPACITY : 21.00 ltrs

BUTTON BOTTOM & FLAT BOTTOM AVAILABLE IN ALL SIZE



ITEM CODE : LID 4300 CC
DIMENSION : O.D. : 400 x 300 x 18 mm

ITEM CODE : 43275 CC & FB
DIMENSION : O.D. : 400 x 300 x 275 mm
I.D. : 360 x 260 x 270 mm
CAPACITY : 24.00 ltrs



ITEM CODE : 43320 CC & FB
DIMENSION : O.D. : 400 x 300 x 320 mm
I.D. : 360 x 260 x 315 mm
CAPACITY : 28.50 ltrs

BUTTON BOTTOM & FLAT BOTTOM AVAILABLE IN ALL SIZE



- ITEM CODE : 53100 CH/CC/FB & BB
- DIMENSION : O.D. : 500 x 325 x 100 mm
I.D. : 468 x 292 x 92 mm
- CAPACITY : 12.00 ltrs
HW / LW Available



- ITEM CODE : 53150
AVAILABLE IN CH, CC, SP,
BB, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 500 x 325 x 150 mm
I.D. : 468 x 292 x 142 mm
- CAPACITY : 18.50 ltrs
HW / LW Available



- ITEM CODE : 53200 SP/TP
- DIMENSION : O.D. : 500 x 325 x 200 mm
I.D. : 468 x 292 x 192 mm
- CAPACITY : 24.50 ltrs



- ITEM CODE : 53200 CH/CC/FB & BB
- DIMENSION : O.D. : 500 x 325 x 200 mm
I.D. : 468 x 292 x 192 mm
- CAPACITY : 24.50 ltrs
TP - HW / LW Available



- ITEM CODE : LID 5300
- DIMENSION : O.D. : 500 x 325 x 21 mm

- ITEM CODE : 53250 CH/CC & FB
- DIMENSION : O.D. : 500 x 325 x 250 mm
I.D. : 468 x 292 x 242 mm
- CAPACITY : 32.00 ltrs



- ITEM CODE : 53360 CH/CC & FB
- DIMENSION : O.D. : 500 x 325 x 360 mm
I.D. : 468 x 292 x 352 mm
- CAPACITY : 47.00 ltrs




BUTTON BOTTOM & FLAT BOTTOM AVAILABLE IN ALL SIZE

ITEM CODE : LID 6400
DIMENSION : O.D. : 600 x 400 x 24 mm



ITEM CODE : 64080
AVAILABLE IN CC, SP, TP, FB, BB & W/o H.
DIMENSION : O.D. : 600 x 400 x 80 mm
: I.D. : 565 x 365 x 75 mm
CAPACITY : 13.50 ltrs



ITEM CODE : 64120
AVAILABLE IN CH, CC, SP, BB, TP, FB, WH & W/o H.
DIMENSION : O.D. : 600 x 400 x 120 mm
: I.D. : 565 x 365 x 113 mm
CAPACITY : 23.00 ltrs

new

FLAT BOTTOM AVAILABLE IN ALL SIZE



CH/CC



SP

TPC



TP



ITEM CODE : 64150
AVAILABLE IN CH, CC, SP, TP,
TPC, FB, BB, W/H & W/o H.



DIMENSION : O.D. : 600 x 400 x 150 mm
I.D. : 565 x 365 x 143 mm



CAPACITY : 29.00 ltrs



ITEM CODE : 64160
AVAILABLE IN CH, CC, SP, BB,
TP, FB, W/H & W/o H.



DIMENSION : O.D. : 600 x 400 x 160 mm
I.D. : 565 x 365 x 153 mm



CAPACITY : 31.00 ltrs



TP



CH/CC



SP

FLAT BOTTOM AVAILABLE IN ALL SIZE



SP

TP



CH/CC

- ITEM CODE : 64180
AVAILABLE IN CH, CC, SP, BB, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 180 mm
: I.D. : 565 x 365 x 170 mm
- CAPACITY : 35.00 litres

- ITEM CODE : 64200
AVAILABLE IN CH, BB, CC & FB.
- DIMENSION : O.D. : 600 x 400 x 200 mm
: I.D. : 565 x 365 x 190 mm
- CAPACITY : 38.00 litres





TP



SP



CH/CC



TP



SP



CH/CC

- ITEM CODE : 64225
AVAILABLE IN CH, CC, SP,
BB, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 225 mm
I.D. : 565 x 365 x 215 mm
- CAPACITY : 44.00 ltrs

- ITEM CODE : 64245
AVAILABLE IN CH, CC, SP,
BB, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 245 mm
I.D. : 565 x 365 x 235 mm
- CAPACITY : 50.00 ltrs



TP



SP



CH/CC

- ITEM CODE : 64285
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 285 mm
I.D. : 565 x 365 x 277 mm
- CAPACITY : 54.50 ltrs



CH/CC

- ITEM CODE : 64300
AVAILABLE IN CH, CC & FB.
- DIMENSION : O.D. : 600 x 400 x 300 mm
I.D. : 565 x 365 x 290 mm
- CAPACITY : 58.00 ltrs





- ITEM CODE : 64425
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 425 mm
: I.D. : 565 x 365 x 415 mm
- CAPACITY : 85.00 ltrs



- ITEM CODE : 64485
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 600 x 400 x 485 mm
: I.D. : 565 x 365 x 475 mm
- CAPACITY : 100.00 ltrs



- ITEM CODE : 6545130
AVAILABLE IN CH & CC
- DIMENSION : O.D. : 650 x 450 x 130 mm
I.D. : 610 x 410 x 115 mm
- CAPACITY : 29 ltrs

CH/CC



new



- ITEM CODE : 6545140
AVAILABLE IN CH & CC
- DIMENSION : O.D. : 650 x 450 x 140 mm
I.D. : 610 x 410 x 130 mm
- CAPACITY : 31 ltrs

new



- ITEM CODE : 6545150
AVAILABLE IN CH & CC
- DIMENSION : O.D. : 650 x 450 x 150 mm
I.D. : 610 x 410 x 140 mm
- CAPACITY : 35 ltrs

- ITEM CODE : 6545210
AVAILABLE IN CH, CC, SP, TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 650 x 450 x 210 mm
I.D. : 610 x 410 x 195 mm
- CAPACITY : 48 ltrs



TP



SP



CH/CC



FLAT BOTTOM AVAILABLE IN ALL SIZE

Suitable For Mini Jumbo, Jumbo & Maha Jumbo



- ITEM CODE : 6545315
AVAILABLE IN CH/CC & FB
- DIMENSION : O.D. : 650 x 450 x 315 mm
I.D. : 610 x 410 x 305 mm
- CAPACITY : 71.00 ltrs
HW / LW Available



- ITEM CODE : LID 65450
- DIMENSION : O.D. : 650 x 450 x 20 mm



CH/CC



SP



TP

- ITEM CODE : 6545325
AVAILABLE IN CH, CC, SP,
TP, FB, W/H & W/o H.
- DIMENSION : O.D. : 650 x 450 x 325 mm
I.D. : 610 x 410 x 315 mm
- CAPACITY : 74.00 ltrs

SPECIALLY FOR
BREAD INDUSTRIES

FLAT BOTTOM AVAILABLE IN ALL SIZE





TP



SP

- ITEM CODE : 6545485
AVAILABLE IN CH, CC, SP,
TP, W/H & W/o H.
- DIMENSION : O.D. : 650 x 450 x 485 mm
: I.D. : 610 x 410 x 468 mm
- CAPACITY : 116.00 ltrs



CH/CC

FLAT BOTTOM AVAILABLE IN ALL SIZE


ITEM CODE : SUPER JUMBO LID

DIMENSION : O.D. : 809 x 570 x 20 mm

new



SP



TP



CH/CC



ITEM CODE : 857425
AVAILABLE IN CH, SP, TP.
DIMENSION : O.D. : 809 x 570 x 425 mm
I.D. : 760 x 538 x 405 mm
CAPACITY : 157.00 ltrs

Available with wheels &
Without handle available.



ITEM CODE : 2715 TPC
 DIMENSION : O.D. : 400 x 325 x 150 mm
 : I.D. : 373 x 300 x 130 mm
 CAPACITY : 17.00 ltrs

ITEM CODE : 53200 TP
 DIMENSION : O.D. : 500 x 325 x 200 mm
 : I.D. : 468 x 292 x 192 mm
 CAPACITY : 24.50 ltrs



ITEM CODE : 2725
 AVAILABLE IN TP & TPC
 DIMENSION : O.D. : 400 x 325 x 250 mm
 : I.D. : 365 x 290 x 245 mm
 CAPACITY : 26.00 / 22.00 ltrs resp.



ITEM CODE : 2727
 AVAILABLE IN TP & TPC
 DIMENSION : O.D. : 400 x 325 x 270 mm
 : I.D. : 365 x 290 x 265 mm
 CAPACITY : 28.00 / 24.00 ltrs resp.



ITEM CODE : 1976 - 3 TP (Heavy Duty)
 DIMENSION : O.D. : 542 x 360 x 292 mm
 : I.D. : 510 x 328 x 280 mm
 CAPACITY : 40.00 ltrs
 (Raised Bottom)

ITEM CODE : 1976 TP (Double Wall)
 DIMENSION : O.D. : 542 x 360 x 292 mm
 : I.D. : 510 x 328 x 280 mm
 CAPACITY : 40.00 ltrs



ITEM CODE : 1976 - 1/2
 DIMENSION : O.D. : 542 x 360 x 292 mm
 : I.D. : 510 x 328 x 280 mm
 CAPACITY : 40.00 ltrs



ITEM CODE : 1978 TPC (BIG JALI)
 DIMENSION : O.D. : 542 x 360 x 300 mm
 : I.D. : 510 x 328 x 280 mm
 CAPACITY : 40.00 ltrs



ITEM CODE : 2830
AVAILABLE IN TP, TPC
DIMENSION : O.D. : 542 x 360 x 305 mm
I.D. : 510 x 328 x 298 mm
CAPACITY : 50.00 ltrs

ITEM CODE : 53342
AVAILABLE IN TP, TP-S
DIMENSION : O.D. : 542 x 395 x 342 mm
I.D. : 510 x 363 x 328 mm
CAPACITY : 58.00 ltrs



ITEM CODE : 53280 - SP
DIMENSION : O.D. : 525 x 380 x 280 mm
I.D. : 490 x 330 x 270 mm
CAPACITY : 42.5 ltrs



■ STACKABLE ■



■ NESTABLE ■



- ITEM CODE : 5629174 (POUCH CRATE)
- DIMENSION : O.D. : 568 x 298 x 174 mm
I.D. : 525 x 225 x 162 mm
- CAPACITY : 10.00 ltrs
(20 POUCHES OF 1/2 LTR OR
10 POUCHES OF 1 LTR)



- ITEM CODE : 4737163 A (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 163 mm
I.D. : 427 x 335 x 148 mm
- CAPACITY : 12.00 ltrs
(12 POUCHES OF 1 LTR)



- ITEM CODE : 4737163 B (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 163 mm
I.D. : 427 x 335 x 148 mm
- CAPACITY : 12.00 ltrs
(12 POUCHES OF 1 LTR)



- ITEM CODE : 4737166 B (TUB POUCH
CRATE WITH PARTITION)
- DIMENSION : O.D. : 470 x 378 x 168 mm
I.D. : 427 x 335 x 155 mm
- CAPACITY : 12.00 ltrs
(12 POUCHES OF 1 LTR)



- ITEM CODE : 73070 TP (RIBBON FISH)
- DIMENSION : O.D. : 770 x 330 x 70 mm
I.D. : 730 x 300 x 60 mm
- CAPACITY : 12.00 ltrs

- ITEM CODE : 53342 CH
- DIMENSION : O.D. : 542 x 395 x 342 mm
I.D. : 510 x 363 x 326 mm
- CAPACITY : 58.00 ltrs



- ITEM CODE : 5436295
AVAILABLE IN CH, CC & TP
- DIMENSION : O.D. : 542 x 360 x 295 mm
I.D. : 510 x 325 x 290 mm
- CAPACITY : 45.00 ltrs



- ITEM CODE : 5436350
AVAILABLE IN CC & CH
- DIMENSION : O.D. : 540 x 360 x 350 mm
I.D. : 510 x 325 x 340 mm
- CAPACITY : 55.00 ltrs



- ITEM CODE : 5436400
AVAILABLE IN CC & CH
- DIMENSION : O.D. : 540 x 360 x 400 mm
I.D. : 510 x 325 x 390 mm
- CAPACITY : 64.00 ltrs





ITEM CODE : TOKRI 22 - RCR/RCC

DIMENSION : O.D. : 542 x 231 mm
I.D. : 522 x 226 mm

CAPACITY : 33.00 ltrs

ITEM CODE : TOKRI 18 - RCR/RCC/RCH

DIMENSION : O.D. : 470 x 210 mm
I.D. : 450 x 202 mm

CAPACITY : 23.00 ltrs



AVAILABLE IN SINGLE & SETS

ITEM CODE	CAPACITY	DIMENSION
KITTY 111	325 ML	11.1 X 8.4 X 5.2 CM
KITTY 222	625 ML	13.8 X 10.6 X 6.2 CM
KITTY 333	1150 ML	17.4 X 13.2 X 7.7 CM
KITTY 444	2050 ML	20.4 X 15.5 X 9.2 CM
KITTY 555	3000 ML	23.5 X 17.7 X 10 CM
KITTY 666	4200 ML	26.7 X 19.4 X 10.7 CM
KITTY 777	6300 ML	29.4 X 22.4 X 12.9 CM
KITTY 888	10500 ML	33.4 X 25.8 X 16.4 CM
KITTY 999	16700 ML	37.8 X 30.2 X 19.7 CM
KITTY 1000	24000 ML	42.6 X 34.1 X 22.3 CM
KITTY 1100	34000 ML	47.8 X 38.8 X 24.5 CM
KITTY 1200	46000 ML	53 X 42.5 X 27.8 CM



• SUPERMARKET •

ITEM CODE	CAPACITY	DIMENSION
MEGA SUPERMARKET	24 LTR	44 X 32 X 29 CM
OMEGA TROLLEY SHOPPING BASKET	31 LTR	46 X 34.6 X 40 CM



SMALL

BIG



• GRACE •

ITEM CODE	CAPACITY	DIMENSION
GRACE SMALL	23.3 LTR	42.5 X 31.5 X 27.5 CM
GRACE BIG	31.8 LTR	42.5 X 31.5 X 37.5 CM




MULTIPURPOSE TRAY



MARSHAL TUB

ITEM CODE	CAPACITY	DIMENSION
MARSHAL	17830 ML	51.5 X 34 X 15 CM



MULTIPURPOSE TRAY

ITEM CODE	CAPACITY	DIMENSION
MULTIPURPOSE TRAY 101	2200 ML	260 x 210 x 51 MM
MULTIPURPOSE TRAY 102	4500 ML	320 x 262 x 68 MM
MULTIPURPOSE TRAY 103	7000 ML	412 x 301 x 73 MM
MULTIPURPOSE TRAY 104	11000 ML	474 x 342 x 90 MM
MULTIPURPOSE TRAY 105	15750 ML	515 x 380 x 103 MM
MULTIPURPOSE TRAY 106	22800 ML	580 x 440 x 115 MM



TRANSPARENT TRAY AVAILABLE IN ALL SIZES

CRATE

ITEM CODE	DIMENSION
CRATE 5	16.5 x 11.5 x 7.5 CM
CRATE 15 - N	20 x 12.5 x 10 CM
CRATE 15	17 x 12.5 x 8 CM



15 - N



15



5



CRATE FPO STORAGE BINS

CRATE

ITEM CODE	DIMENSION
CRATE 20	21 x 16.5 x 10 CM
CRATE 25	23 x 15 x 12.5 CM
CRATE 30	28.5 x 21 x 12 CM

30



25



20





CRATE

ITEM CODE	DIMENSION
CRATE 35	30 x 21 x 16 CM
CRATE 45	35 x 21 x 20 CM
CRATE 50	51.5 x 31 x 20 CM



AVAILABLE WITHOUT
PARTITION



AVAILABLE WITH
PARTITION



CRATE

ITEM CODE	DIMENSION
CRATE 60	26.5 x 18 x 13 CM
CRATE 80	38.5 x 23 x 17 CM
CRATE 100	39 x 32 x 17 CM






Sr. No.	Model No.	Bins Holder Per Stand	Bins Per Bin Holder	Bins Per Stand
1	FPO 5 Single Side Stand	6	6	36 nos
2	FPO 5 Double Side Stand	12	6	72 nos
3	FPO 15 Single Side Stand	8	11	88 pcs
4	FPO 15 Double Side Stand	16	11	176 pcs
5	FPO 25 Single Side Stand	7	9	63 nos
6	FPO 25 Double Side Stand	14	9	126 nos
7	FPO 35 Single Side Stand	6	6	36 Pcs
8	FPO 35 Double Side Stand	12	6	72 Pcs
9	FPO 45 Single Side Stand	5	6	30 Pcs
10	FPO 45 Double Side Stand	10	6	60 Pcs



- **Crate Trolleys Suitable For:**
High Quality epoxy coated floor,
Recommended only for indoor Application
- Load to rest above the castor Uniformly
- Fix type Front wheel & rear swivel wheel to steer
- Suitable for following crates:
600 x 400 Series
650 x 450 Series
500 x 325 Series
Jumbo Series
Maha Jumbo Series
Super Jumbo Series

CRATE TROLLEY

Available Sizes
620 x 420 mm
670 x 470 mm
820 x 620 mm



220 X 63 mm 180 X 70 mm 165 X 50 mm 148 X 52 mm 105 X 75 mm 80 X 52 mm 55 X 35 mm 83 X 55 mm

CRATE ELBOW
TO INCREASE HEIGHT
& PARTITION

ACRYLIC CARD HOLDERS
AVAILABLE IN DIFFERENT SIZES

CLOSED HANDLE WITH EXTRA GRIP
(Inner & Outer)

ACRYLIC CARD HOLDERS

CARD HOLDER & CRATE ACCESSORIES

TAILOR MADE PARTITIONS CAN BE MADE ACCORDING TO YOUR SPECIFICATION



TRANSPARENT & CONDUCTIVE CRATES AVAILABLE IN ANY MODEL ON DEMAND



SOFT LIDS

Used In Various Industries
As Covers For Crates With
Velcro Tapes Attached To Interlock.




XLPE HARD BLACK FOAM & PE SOFT WHITE FOAM

Available In Different Size & Thickness.
Used In Crates For Precious & Delicate
Components Like Glass, Electronic Components,
Various Components In Automobile Industries.

We are Introducing PP corrugated partitions, these customizable solutions are
designed to meet your unique needs, providing precision organization.

new



PP CORRUGATED PARTITION

GARBAGE BASKET

ITEM CODE	CAPACITY	DIMENSION
SAFARI GARBAGE BASKET	11.5 ltr	28.0 (D) x 28.5 cm
APOLLO GARBAGE BASKET	11 ltr	28.5 (D) x 29.5 cm



APOLLO



SAFARI



6.9 LTR

GARBAGE BIN WITH LID & WITHOUT LID

ITEM CODE	CAPACITY	DIMENSION
GARBAGE BIN	6.9 LTR	27.0 (D) x 23.0 cm
GARBAGE BIN	10 LTR	27.0 (D) x 30.0 cm
GARBAGE BIN	12 LTR	28.0 (D) x 27.0 cm



10 LTR



12 LTR



VENTO SWING BINS

HANDLE AVAILABLE IN 16 & 28

ITEM CODE	CAPACITY	DIMENSION
VENTO - 9	7.5 ltr	25.0 x 19.0 x 32.0 cm
VENTO - 16	14 ltr	29.3 x 22.5 x 40.5 cm
VENTO - 28	24 ltr	34.5 x 26.2 x 49.5 cm



UTILITY SWING BINS

HANDLE AVAILABLE IN 16 & 28

ITEM CODE	CAPACITY	DIMENSION
UTILITY - 5	4 ltr	21.4 x 16.2 x 25.5 cm
UTILITY - 9	7.5 ltr	25.0 x 19.0 x 32.0 cm
UTILITY - 16	14 ltr	29.3 x 22.5 x 40.5 cm
UTILITY - 28	24 ltr	34.5 x 26.2 x 49.5 cm



MAGNUM PEDAL BINS

ITEM CODE	CAPACITY	DIMENSION
MAGNUM-10	10 ltr	26.0 x 25.0 x 31.0 cm
MAGNUM-15	15 ltr	30.0 x 30.0 x 35.0 cm
MAGNUM-20	20 ltr	32.0 x 32.0 x 39.0 cm
MAGNUM-30	30 ltr	34.0 x 34.0 x 43.0 cm

Available Colours



new

DELTA PEDAL BINS PLAIN / PRT

ITEM CODE	CAPACITY	DIMENSION
DELTA PEDAL - SMALL	600 ml	10.0 (D) x 12.0 cm
DELTA PEDAL - BIG	1400 ml	13.0 (D) x 16.0 cm



PEDAL BINS PLAIN / PRT

ITEM CODE	CAPACITY	DIMENSION
PEDAL107 (SMALL)	5.75 ltr	24.5 (D) x 25.0 cm
PEDAL108 (BIG)	11.25 ltr	28.5 (D) x 33.0 cm
PEDAL109 (JUMBO)	14.5 ltr	30.0 (D) x 38.0 cm



EVERGREEN PEDAL BINS

ITEM CODE	CAPACITY	DIMENSION
EVERGREEN 1	5.7 ltr	23.0 (D) x 26.0 cm
EVERGREEN 2	8.0 ltr	26.0 (D) x 28.0 cm
EVERGREEN 3	11.2 ltr	30.0 (D) x 32.0 cm



12 LTR

25 LTR

SPLASH PEDAL BINS

ITEM CODE	CAPACITY	DIMENSION
SPLASH 12	12 ltr	24.0 x 31.0 x 37.5 cm
SPLASH 25	25 ltr	31.0 x 39.5 x 46.5 cm

SPLASH BIOMEDICAL COLORS

TWIN PEDAL DUSTBIN 20

ITEM CODE	CAPACITY	DIMENSION
TWIN 20	20 ltr	27.0 x 35.4 x 42.0 cm
		Container 24.0 x 16.8 x 36.0 cm



TWIN PUSH & PEDAL DUSTBIN 20

ITEM CODE	CAPACITY	DIMENSION
TWIN 20	20 ltr	27.0 x 35.4 x 42.0 cm
		Container 24.0 x 16.8 x 36.0 cm



Dual dustbins in 1 compartment with a capacity of 10 ltr each.
Removable inner bins for easy emptying.



80



60



32



25

SWING BINS ROUND

ITEM CODE	CAPACITY	DIMENSION
SWING - 25	25 LTR	37.5 (D) x 49.0 cm
SWING - 32	32 LTR	38.0 (D) x 53.6 cm
SWING - 60	60 LTR	47.5 (D) x 69.5 cm
SWING - 80	80 LTR	51.0 (D) x 76.5 cm






60

80

110

new



All the dimensions, capacity & weight are approximate & only for reference. Subject to technical modification

SWING BINS SQUARE

MODEL	60	80	110
App Volume (Ltrs)	60	80	110
Useful Load (Kgs)	37	45	55
A Over all Height (mm)	885	890	970
B Over all Width (mm)	375	410	495
C Over Depth (mm)	375	410	495
D Upper Wdge (mm)	700	700	700



Available Colours




WASTE BIN WITH
DOME LID 110



80

60

110 WASTE BIN WITH
HINGED DOME LID



All the dimensions, capacity & weight are approximate & only for reference. Subject to technical modification

WASTE BINS WITH DOME LID

	MODEL	60	80	110
	App Volume (Ltrs)	60	80	110
	Useful Load (Kgs)	37	45	55
A	Over all Height (mm)	900	900	940
B	Over all Width (mm)	360	430	500
C	Over Depth (mm)	360	430	500
D	Upper Wdge (mm)	700	700	700
FxC	Window Size (mm)	270 x 145	265 x 135	340 x 160

Available Colours





WASTE BIN WITH
POLE MOUNTED STAND



2 PCS WASTE BIN WITH
POLE MOUNTED STAND

WASTE BINS WITH STAND

POLE MOUNTED 1 PC & 2 PCS AVAILABLE IN
WASTE BIN WITH DOME LID 60, 80 & 110
SQUARE SWING BIN 60, 80 & 110
ROUND SWING BIN 60 & 80

MODEL	SINGLE STAND		DOUBLE STAND	
	60/80	110	60/80	110
PIPE SIZE (MM)	40 x 20	40 x 20	40 x 20	40 x 20
PIPE THICKNESS (MM)	1.2	1.2	1.2	1.2
STAND HEIGHT (MM) (+/-10MM)	1070	1070	1070	1070
STAND WIDTH (MM) (+/-10MM)	470	545	920	1070

All the dimensions, capacity & weight are approximate & only for reference. Subject to technical modification



एक कदम स्वच्छता की ओर
Swachh Bharat Abhiyaan
एक कदम स्वच्छता की ओर



90



70




45

WASTE BIN

MODEL	45	70	90
App Volume (Ltrs)	45	70	90
Article Weight (Kgs)	2.30	2.85	5.84
Useful Load (Kgs)	25	28	32
A Over all Height (mm)	517	725	770
B Over all Width (mm)	405	405	490
C Over Depth (mm)	456	456	550
D Upper Edge (mm)	480	685	700
E Wheel Dia (Ø) (mm)	---	---	---
F Distance	---	---	---

Without Wheel



Available Colours



All the dimensions, capacity & weight are approximate & only for reference.
Subject to technical modification

WHEEL WASTE BIN 90
WITH PEDAL




WHEEL WASTE BIN 65
WITH PEDAL



WHEEL WASTE
BIN 90

WHEEL WASTE BIN 90
WITH DOME LID

Available Colours



All the dimensions, capacity & weight are approximate & only for reference.
Subject to technical modification

WHEEL WASTE BINS


MODEL	65	90
App Volume (Ltrs)	65	90
Article Weight (Kgs)	3.8	5.9
Useful Load (Kgs)	28	32
A Over all Height (mm)	725	770
B Over all Width (mm)	405	490
C Over Depth (mm)	456	550
D Upper Edge (mm)	685	700
E Wheel Dia (Ø) (mm)	125	200
F Wheel to Wheel Distance (mm)	310	430



एक कदम स्वच्छता की ओर
Swachh Bharat Abhiyaan
EK KADAM SWACHHATA KI ORE



WHEEL WASTE BIN 120
WITH PEDAL



All the dimensions, capacity & weight are approximate & only for reference.
Subject to technical modification

WHEEL WASTE BINS

MODEL	120
App Volume (Ltrs)	120
Article Weight (Kgs)	7.5
Useful Load (Kgs)	48
A Over all Height (mm)	980
B Over all Width (mm)	490
C Over Depth (mm)	550
D Upper Edge (mm)	910
E Wheel Dia (Ø) (mm)	200
F Wheel to Wheel Distance (mm)	470


Available Colours





WHEEL WASTE BIN 240
WITH PEDAL

240



All the dimensions, capacity & weight are approximate & only for reference.
Subject to technical modification
Container according to EN standards

WHEEL WASTE BINS WITH PEDAL

MODEL	240
App Volume (Ltrs)	240
Article Weight (Kgs)	12.1
Useful Load (Kgs)	96
A Over all Height (mm)	1075
B Over all Width (mm)	580
C Over Depth (mm)	740
D Upper Edge (mm)	1000
E Wheel Dia (Ø) (mm)	200
F Wheel to Wheel Distance (mm)	570

WHEEL WASTE BINS

Waste Bin	660	1100
Bin Capacity	660 L	1100 L
Height (Wheel to Lid top)	1240	1300
Width (Handle Edge to Handle Edge)	1380	1410
Depth (mm)	790	925
Height (Above wheel to Lid top)	1000	1060
Lid (Edge to Edge)	1220	1170
Bottom (Wheel edge to Wheel edge)	840	840
Ground Clearance	240	270
Wheel Dia (Ø) (mm)	200	200
Useful Load (Kgs)	264	440

Images & dimensions are given for reference purpose only.



WHEEL WASTE BIN 660



SWING BINS & WASTE BINS

WHEEL WASTE BIN 1100

ARISTO®
www.aristoplast.com
ISO 9001:2015 COMPANY

ARISTO®
www.aristoplast.com
ISO 9001:2015 COMPANY



Swachh Bharat Abhiyaan
EK KADAM SWACHHATA KI ORE

STORAGE BUCKETS WITH FLAT LIDS

ITEM CODE	CAPACITY	DIMENSION
STORAGE BUCKET 60	60 LTR	36 X 36 X 76 CM
STORAGE BUCKET 80	80 LTR	43 X 43 X 75 CM
STORAGE BUCKET 110	110 LTR	50 X 50 X 75 CM





NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.




STEEL REINFORCEMENT ENHANCING
THE LOAD BEARING CAPACITY
AVAILABLE IN 121008, 121013,
121015 & 121016 SERIES.

ITEM CODE : 121008 CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 80 mm	MATERIAL	HDPE
STATIC LOAD	1500 kgs	4 WAY	✓
DYNAMIC LOAD	400 kgs	2 WAY	✗
RACKING LOAD	N. A.	METAL TUBE	✓




121013 LW CFT



TOP

BOTTOM



NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121013 LW CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 130 mm	MATERIAL	HDPE
STATIC LOAD	2500 kgs	4 WAY	
DYNAMIC LOAD	500 kgs	2 WAY	
RACKING LOAD	N. A	METAL TUBE	N. A.

121013 HW CFT



STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY
AVAILABLE IN 121008, 121013, 121015 & 121016 SERIES.

■ BOTTOM ■

NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121013 HW CFT | 9 LEG PALLET

DIMENSION:	1200 x 1000 x 130 mm	MATERIAL	HDPE
STATIC LOAD	3000 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	N. A.	METAL TUBE	✓

121015 CFT




STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY
AVAILABLE IN 121008, 121013, 121015 & 121016 SERIES.

NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

BOTTOM



ITEM CODE : 121015 CFT | 3 RUNNER PALLET

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4500 kgs	4 WAY	✓
DYNAMIC LOAD	1000 kgs	2 WAY	✓
RACKING LOAD	800 kgs	METAL TUBE	✓




STEEL REINFORCEMENT
AVAILABLE IN
80 / 130 / 150 & 160 SERIES ONLY.



STEEL REINFORCEMENT ENHANCING THE LOAD BEARING CAPACITY
AVAILABLE IN 121015 & 121016 SERIES.



121015 LW



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.


BOTTOM



ITEM CODE : 121015 LW

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	2500 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	500 kgs	METAL TUBE	✓

121015 MW



TOP

BOTTOM




NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



ITEM CODE : 121015 MW

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	 ✓
DYNAMIC LOAD	1000 kgs	2 WAY	 ✓
RACKING LOAD	600 kgs	METAL TUBE	✓



TOP

ITEM CODE : 121015 FT

DIMENSION:	1200 x 1000 x 150 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	✓
DYNAMIC LOAD	800 kgs	2 WAY	✓
RACKING LOAD	500 kgs	METAL TUBE	✓


BOTTOM

NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.



121016 LW



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.


BOTTOM



ITEM CODE : 121016 LW

DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	4000 kgs	4 WAY	✓
DYNAMIC LOAD	1000-1200 kgs	2 WAY	✓
RACKING LOAD	700 kgs	METAL TUBE	✓

121016 MW



NOTE


- Load Should Be Uniformly Distributed All Over The Surface.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

ITEM CODE : 121016 MW

DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	5000 kgs	4 WAY	
DYNAMIC LOAD	600 kgs	2 WAY	
RACKING LOAD	500 kgs	METAL TUBE	



121016 HW




NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- Steel Reinforcement Is Must For Racking & Dynamic Load.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

ITEM CODE : 121016 HW			
DIMENSION	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	6000 kgs	4 WAY	
DYNAMIC LOAD	1200-1400 kgs	2 WAY	
RACKING LOAD	1000 kgs	METAL TUBE	

121016 LW MP

new




TOP

NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

BOTTOM




ITEM CODE : 121016 LW MP


DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	3000 kgs	4 WAY	
DYNAMIC LOAD	800 kgs	2 WAY	
RACKING LOAD	700 kgs	METAL TUBE	X

new

121016 HW MP



■ BOTTOM ■



NOTE

- Load Should Be Uniformly Distributed All Over The Surface.
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.
- Do Not Throw / Shoulder Drop Goods On Pallet.
- Static Load & Dynamic Load Is Being Calculated On Coverage Of Entire Pallet Area.

ITEM CODE : 121016 HW MP

DIMENSION:	1200 x 1000 x 160 mm	MATERIAL	HDPE
STATIC LOAD	6000 kgs	4 WAY	
DYNAMIC LOAD	1200 kgs	2 WAY	
RACKING LOAD	1000 kgs	METAL TUBE	X



121014 L

TOP



ITEM CODE : 121014 L

ITEM CODE : 121014 L BLUE

DIMENSION:	1200 x 1000 x 140mm	MATERIAL	HDPE
STATIC LOAD	1500 kgs	4 WAY	 ✓
DYNAMIC LOAD	600 kgs	4 WAY	 ✓
LEGS	9 legs	NESTABLE	✓
RACKING LOAD	N. A	METAL TUBE	N. A.

NOTE

- Load Should Be Uniformly Distributed All Over The Surface
- Do Not Throw / Shoulder Drop Goods On Pallet
- Perforated & Nestable Pallet
- Specially Designed For Exports
- It Is Recommended To Lift Pallet From Short Side With Jaw Size Of Forklift Adjusted At 685 Mm.

TOP



ITEM CODE : 121014 L

DIMENSION:	1200 x 1000 x 140mm	MATERIAL	HDPE
STATIC LOAD	1200 kgs	4 WAY	 ✓
DYNAMIC LOAD	500 kgs	4 WAY	 ✓
LEGS	9 legs	NESTABLE	✓
RACKING LOAD	N. A.	METAL TUBE	N. A.



COOLER JUG INSULATED TUFF JUG

ITEM CODE	CAPACITY
COOLER JUG	1 LTR.
COOLER JUG	1.5 LTR.



Inner container is of
Stainless Steel.



14



6



3

new



ICE BOX



POLAR INSULATED FLASK

ITEM CODE	CAPACITY
POLAR FLASK	1 LTR.
POLAR FLASK	1.5 LTR.

ICE BOX

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 3	2.5 LTR.	20.5 x 16 x 14 CM
ICE BOX 6	5.5 LTR.	27 x 21.4 x 19 CM
ICE BOX 14	13 LTR.	35 x 27.4 x 24 CM

ICE BOX

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 25	23 LTR.	38.5 x 37.5 x 30 CM
ICE BOX 35	32.5 LTR.	50 x 34.5 x 33.5 CM

PLUG AVAILABLE IN ICE BOX 25 & 35
CUP HOLDER AVAILABLE IN 35

25



35



50 / 60

ICE BOX

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 50	48 LTR.	62.5 x 36 x 35.5 CM
ICE BOX 60	59 LTR.	64 x 37.5 x 39 CM



50 / 60



VENT LID

PLUG

ICE BOX WITH WHEEL, VENT LID, PLUG & LONG HANDLE



WITH WHEEL & VENT LID

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 50 WITH VENT LID & PLUG	48 LTR.	62.5 x 36 x 35.5 CM
ICE BOX 60 WITH VENT LID & PLUG	59 LTR.	64 x 37.5 x 39 CM
ICE BOX 60 WITH LONG HANDLE	59 LTR.	64 x 37.5 x 39 CM



110



ICE BOX WITH WHEEL & VENT LID
Plastic Handle

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 110 WITH WHEEL & VENT LID	110 LTR.	73 x 47 x 48 CM



110



ICE BOX WITH VENT LID & PLUG
Plastic Handle

ITEM CODE	CAPACITY	DIMENSION
ICE BOX 110 WITH VENT LID & PLUG	110 LTR.	73 x 47 x 48 CM

LIST OF CLIENTELE

					
					
					
					
					
					
			<i>.....And Many More</i>		





ARISTOPLAST PRODUCTS PVT. LTD.

Regd. Office: 6/129, Mittal Estate, Andheri Kurla Road,
Andheri (East), Mumbai-400 059, India.

Tel.: 8433706721

E-mail: salestrates@aristoplast.com **Web:** www.aristoplast.com